## **TerraVue**<sup>®</sup>

# Strength When it Counts to Protect What Matters Most

HERBICIDE



TerraVue<sup>™</sup> herbicide is proven to work harder than most other herbicides on the market today by controlling more than 140 broadleaf weeds and brush species, all while offering the industry's most favorable environmental profile.

TerraVue is powered by Rinskor<sup>®</sup> active, a reduced risk herbicide that won the American Chemical Society's Green Chemistry Challenge award.

Rinskor active represents the latest member of the arylpicolinate family of chemistry, a unique and new class of synthetic auxin chemistry within the Herbicide Resistance Action Committee's Group O category.

## TerraVue Provides a New Formulation— Hybrid High-Load (HHL) Technology

HHL technology creates a water dispersible granule with highly desirable attributes:

- Disperses Quickly In Water
- Mixes Easily With Other Tank Additives
- When Used Correctly, Does Not Plug Nozzles
- Hybrid "Composed of Mixed Parts"

High-Load - Each Granule Contains > 75% Active Ingredient

## **Product Attributes**

#### **Physical Attributes**

- WDG Formulation Disperses Easily in Water
- Flexible Application Methods:
  - » Compatible with Multiple Tank Mix Partners
  - » Broadcast (Aerial and Ground), Foliar Individual Plant Treatment, Dormant Stem, Hack and Squirt, Frill or Girdle, Cut Surface Application Methods
- Low Use Rate
  - » 2 to 2.85 oz per acre Rate Controls Most Weeds
- Non-Restricted
  » Does Not Contain 2.4-D or Dicamba
- Improved Broad-Spectrum Control
- Extended Broadleaf Weed Control
- Increased Activity on Hard to Control Weeds
- Controls Over 140 Weeds
- Enhanced Control on Certain Woody Species

#### Peace of Mind

- Combination of Two Reduced Risk Herbicides
- » Including one Green Chemistry Award Winner (Rinskor®)
- Practically Non-Volatile
- Low Odor
- Safe on Grass and Many Beneficial Forbs
- No Grazing Restrictions for Any Class of Livestock

## Learn more at TerraVueherbicide.com



#### HERBICIDE



Treated with Milestone® herbicide Callery Pear Control on Roadside

Treated with TerraVue<sup>™</sup> herbicide Callery Pear Control on Roadside

## **Application Timing**

Treat when weeds are actively growing and not stressed by drought or other conditions. Increase herbicide rate within the labeled rate range as the season progresses and plants become more mature. Higher rates will produce an increase in residual.

## **Application Methods**

**Ground Broadcast Application:** Spray volumes greater than 10 gallons per acre generally provide better coverage and better control.

**Aerial Broadcast Application:** Use two gallons or more per acre total spray volume. Five gallons per acre or greater will generally provide better coverage and better control, particularly in dense and/or tall foliage.

**Spot Application:** Spot treatments may be applied at an equivalent broadcast rate of up to 5.7 oz of TerraVue<sup>™</sup> per acre per year; however, if area is hayed or grazed, not more than 50% of an acre may be treated at that rate.

**Total Vegetation Control:** Applications may be made by broadcast, pre-treatment or spot treatment at up to 5.7 oz/acre.

#### **Woody Plant Control**

**TerraVue Alone:** Control several woody plants and vines on roadsides and in utility rights-of-way.

**TerraVue Tank Mixes:** The woody brush spectrum may be increased by tank mixing TerraVue with Vastlan<sup>®</sup>, Garlon 4<sup>®</sup> Ultra, Arsenal<sup>®</sup>, or Rodeo<sup>®</sup> herbicides. Please refer to individual products for use and rate information.

#### **Labeled Use Sites**

- Natural Areas
- Wildlife Habitat and Management Areas
- · Electric Power and Utility Rights-Of-Way, Roadsides and Other Non-Crop Areas
- Including Grazed Areas In and Around These Sites

#### **Adjuvant Recommendations**

Non-Ionic Surfactant: 0.25% volume per volume (1 to 2 quarts per 100 gallons of spray).

Methylated Seed Oil: 1% volume per volume.

Blends: See labels for recommended rates.

Treated with TerraVue<sup>™</sup> + Vastlan<sup>®</sup> herbicide Callery Pear Control on Roadside

## **Key Weeds Controlled**

Over 140 Broadleaf Weeds and Woody Plants Control Absinth Wormwood Annual Marshelder Black Locust Broom Snakeweed Canada Thistle Cocklebur Common Mullein Common Caraway Curlycup Gumweed Curly Dock Honey Locust Horsenettle Ironweed Species **Knapweed Species** Musk Thistle **Plantain Species** Poison Hemlock Spiny Amaranth Silverleaf Nightshade Wild Carrot

Wingstem

Visit us at vegetationmgmt.com

Always read and follow label directions. ©2019 Corteva CV01 451 020 (11/19) 010-51171

Vegetation Management

TerraVue<sup>™</sup> and Milestone<sup>®</sup> have no grazing or haying restrictions for any class of livestock, including lactating dairy cows, horses (including lactating mares) and meat animals prior to slaughter. Label precautions apply to forage treated with TerraVue and to manure and urine from animals that have consumed treated forage. Consult the label for full details. <sup>®IM</sup>Trademarks of Dow AgroSciences, DuPont or Pioneer and their affiliated companies or respective owners. TerraVue, Vastlan<sup>®</sup> and Milestone are not registered for sale or use in all states. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use your state. Consult the label for full details. TerraVue<sup>™</sup> has not yet received regulatory approvals; approvals are pending. The information presented here is not an offer for sale.

**CORTEVA**<sup>™</sup> agriscience